



Republic of the Philippines
TARLAC STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE
 Romulo Blvd., San Vicente, Tarlac City
 Tel. No.: (045) 982-4630
 Website: www.tsu.edu.ph

July 13, 2023

SUPPLEMENTAL BID BULLETIN No. 1

Project: Supply and Delivery of IT Equipment (APP 2023)

This Bid Bulletin No. 1 is issued to clarify items and shall be an integral part of Bidding Documents.

Please be informed of the modification in the bidding documents.

POSTED TO PHILGEPS		MODIFICATION	
Section VII. Technical Specifications		Section VII. Technical Specifications	
Item No.	Description	Item No.	Description
2.	PRINTER, MULTIFUNCTION INKJET A3 WI-FI DUPLEX COLORED Print Method Precision Core Printhead Minimum Ink Droplet Volume 2.8 pl Control Panel 4.3 " TFT Color LCD Print Direction Bi-directional printing, Uni-directional printing Nozzle Configuration 400 x 2 nozzles Black, 128 x 2 nozzles per color (Cyan, Magenta, Yellow) Maximum Resolution 4,800 x 2,400 dpi (with Variable-Sized Droplet Technology) Print Speed Draft, A4 (Black / Color): Up to 32 ppm / 20 ppm Copy Speed ISO 29183, A4, Simplex (Black / Color): Up to 16 ipm / 8.8 ipm Scanner Type Flatbed color image scanner Sensor Type CIS Optical Resolution 1200 x 2400 dpi Paper Feed Method Friction feed Connectivity "USB: Hi-Speed USB 2.0 Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct" Dimensions (+/- 10%) (W x D x H): 666 x 486 x 418 mm Warranty 1 year warranty	2.	WIDE FORMAT ALL-IN-ONE PRINTER Functions / Multitasking supported : Print, copy, scan, fax / Yes Print resolution : Black (best): Up to 1200 x 1200 rendered dpi; ; Color (best): Up to 4800 by 1200 Print technology : Thermal Inkjet, Optical Thermal Inkjet Print cartridges number : 4 (1 each black, cyan, magenta, yellow) Borderless printing : Yes (up to A3/11 x 17-in) Color scanning : Yes Scan type / Technology : Flatbed, ADF / Contact Image Sensor (CIS) Scan resolution : Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi Scan Size : ADF: Two-sided (Duplex): 8.27 x 11.69 in; One-sided: 8.5 x 14 in Maximum; Flatbed: 11.69 x 17 in Copy speed : Black (ISO): Up to 18 cpm;; Color (ISO): Up to 13 cpm;; Black (draft): Up to 33 cpm;; Color (draft): Up to 31 cpm Copy resolution : Black (text and graphics): Up to 600 dpi; Up to 600 dpi; Color (text and graphics): Up to 600dpi Warranty : 4 Year Care Pack Business Priority Support with Onsite Exchange

<p>3.</p>	<p>COMPUTER, DESKTOP FOR CAD LABORATORY, Processor : Intel® Core™ i9 (8 Core, 16 threads 16MB Cache, 5.0Ghz, 5 Ghz Turbo OS : Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included) Memory: 16 GB, 2x8 GB, DDR4-2666 MHz, ECC/Non-ECCSDRAM Storage: 512GB NVMe Class 35 Solid State Drive Video Card: Cores " 6144, Boost Clock 1.77Ghz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GDDR6X, Memory Interface Width: 256-bit Ports: 4 USB 2.0 Type A (2 Front / 2 Rear) 5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear) 1 Front USB 3.1 Type C™ (10Gb), data only 1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, HDMI 2.0, DP++ 1.2, Type C™ w/DP-Alt mode) 1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/ 5 years on-site repair / warranty on all labor and parts by an authorized technical support.</p>	<p>3.</p>	<p>DESKTOP COMPUTER FOR CAD LABORATORY Processor : Intel core i7 12th gen or latest equivalent OS : Genuine / Original Windows 11 Pro 64bit English (Original OS Recovery USB Kit by the Manufacturer Included) Memory: 16 GB, 2x8 GB, DDR4-2666 MHz, ECC/Non-ECCSDRAM Storage: 512GB NVMe Solid State Drive Video Card: Cores " 6144, Boost Clock 1.77Ghz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GDDR6X, Memory Interface Width: 256-bit Ports: 4 USB 2.0 Type A (2 Front / 2 Rear) 5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear) 1 Front USB 3.1 Type C™ (10Gb), data only 1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, HDMI 2.0, DP++ 1.2, Type C™ w/DP-Alt mode) 1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: atleast 21" IPS Display, 1920x1080 Resolution (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor</p> <p>Warranty: w/ 5 years on-site repair / warranty on all labor and parts by an authorized technical support on desktop computer set.</p> <p>Uninterrupted Power Supply Rated power in W : 650 W Rated power in VA : 1200 VA Input Connection Type : IEC 60320 C14 Output connection : 4 x universal, 1 x IEC 60320 C13 Battery type : Lead-acid battery Mounting support Floor Network frequency 50/60 Hz +/- 5 Hz auto-sensing Input voltage limits 140 to 300 V 230 V AC Output frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive</p>
-----------	--	-----------	---

			<p>Wave type : Stepped approximation to a sinewave IP degree of protection : IP20 Battery voltage : 12 V Battery capacity 9.0 Ah Battery life 2 to 3 year(s) Surge energy rate 273 : J Mercury free : Yes Warranty : 2 years Local Supplier Warranty on UPS</p>
4.	<p>DESKTOP FOR LABORATORY, Processor : Intel i5 11th Generation or latest Equivalent OS : Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at least with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W) : 1200VA/600W Format : Tower Technology : Line interactive Input voltage ranges without using batteries : 160V - 290V Output voltage : 230V Output frequency : Auto sensing, 50Hz default Data line surge protection (internet/tel/fax) : Yes Input : IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs : (4) Universal Outlets Communication Ports : USB Warranty: 2 years Local Supplier Warranty</p>	4.	<p>DESKTOP COMPUTER FOR LABORATORY</p> <p>Processor : Intel i5 12th Generation or latest Equivalent OS : Genuine / Original Windows 11 Pro 64bit English (Original OS Recovery USB Kit by the Manufacturer Included) Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB NVME Solid State Drive Video Card: at least with 6GB of Video Memory, 192-bit interface width Ports:at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: atleast 21" IPS Display, 1920x1080 Resolution (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty : w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized in-country / local technical support on desktop computer set.</p> <p>Uninterrupted Power Supply</p> <p>Rated power in W : 650 W Rated power in VA : 1200 VA Input Connection Type : IEC 60320 C14 Output connection : 4 x universal, 1 x IEC 60320 C13 Battery type : Lead-acid battery Mounting support Floor Network frequency 50/60 Hz +/- 5 Hz auto-sensing Input voltage limits 140 to 300 V 230 V AC</p>

			<p>Output frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive Wave type : Stepped approximation to a sinewave IP degree of protection : IP20 Battery voltage : 12 V Battery capacity 9.0 Ah Battery life 2 to 3 year(s) Surge energy rate 273 : J Mercury free : Yes Warranty : 2 years Local Supplier Warranty on UPS</p>
5.	<p>DESKTOP, COMPUTER HIGH PERFORMANCE</p> <p>Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable stand (130MM), Tilt (-5° to 21°), Swivel (-45° to 45°),Pivot (-90° to 90°); Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port); Peripherals - Keyboard, Optical scroll mouse (must be same brand with system unit); Warranty: with 5 years on-site repair/ warranty on all labor and parts by an authorized technical support; UPS - rating: 1200VA /600 Watts, output voltage : 230V, output frequency auto sensing, 50 Hz Default Warranty: at least 2 years local supplier warranty</p>	5.	<p>HIGH PERFORMANCE DESKTOP</p> <p>Processor: Intel Core i7 12th Generation Memory: 16GB 2x8GB DDR4 Memory Storage: 1 TB NVME SSD Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit OS: Genuine / Original Windows 11 Pro 64bit English (Original OS Recovery USB Kit by the Manufacturer Included) Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port WiFi Connectivity - Yes built-in WiFi Card Display - atleast 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable stand (130MM), Tilt (-5° to 21°), Swivel (-45° to 45°),Pivot (-90° to 90°)(same brand as system unit and compatible to the unit's primary display output port) Peripherals - Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty : w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized in-country / local technical support on desktop computer set.</p> <p>Uninterrupted Power Supply Rated power in W : 650 W Rated power in VA : 1200 VA Input Connection Type : IEC 60320 C14 Output connection : 4 x universal, 1 x IEC 60320 C13</p>

			<p>Battery type : Lead-acid battery Mounting support Floor Network frequency 50/60 Hz +/- 5 Hz auto-sensing Input voltage limits 140 to 300 V 230 V AC Output frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive Wave type : Stepped approximation to a sine wave IP degree of protection : IP20 Battery voltage : 12 V Battery capacity 9.0 Ah Battery life 2 to 3 year(s) Surge energy rate 273 : J Mercury free : Yes Warranty : 2 years Local Supplier Warranty on UPS</p>
6.	<p>COMPUTER, LAPTOP HIGH PERFORMANCE, Processor - M1 Max chip with 10-core CPU, 32-core GPU, and 16-core Neural Engine Memory - 64GB unified memory Storage - 1TB SSD storage Graphics - 32-core GPU, and 16-core Neural Engine * Operating System - MacOS Connectivity - Two thunderbolt / USB 4 ports with support for: - Charging - Display port - Thunderbolt 3 (up to 40Gbps) - USB 4 (up to 40Gbps) - USB 3.1 Gen 2 (up to 10 Gbps) WiFi Connectivity - 802.11ax WiFi 6 wireless networking IEEE 802.11 a/b/g/n/ac compatible Bluetooth 5.0 wireless technology Display- Liquid Retina XDR display - 14.2-inch (diagonal) Liquid Retina XDR display 1 3024-by-1964 native, resolution at 254 pixels per inch * Camera - 1080p FaceTime HD camera, Advance image signal processor with computational video * Peripherals - Wireless Rechargeable magic mouse, Carrying bag Warranty - with protection plan 3 years, repair or replacement coverage, both parts and labor, from authorized technicians or service centers</p>	6.	<p>HIGH PERFORMANCE LAPTOP Processor - latest chip with 8-core CPU, 10-core GPU, and 16-core Neural Engine Memory - 16GB unified memory * Storage - 256GB SSD storage * Graphics - 32-core GPU, and 16-core Neural Engine * Operating System - MacOS * Connectivity - Two thunderbolt / USB 4 ports with support for: - Charging - Display port - Thunderbolt 3 (up to 40Gbps) - USB 4 (up to 40Gbps) - USB 3.1 Gen 2 (up to 10 Gbps) WiFi Connectivity - 802.11ax WiFi 6 wireless networking IEEE 802.11 a/b/g/n/ac compatible Bluetooth 5.0 wireless technology * Display- Retina Display, 13.3-inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with support for millions of colors * Camera - 720p FaceTime HD camera Advanced image signal processor with computational video * Peripherals - Wireless Rechargeable magic mouse, Carrying bag * Warranty - with protection plan 3 years, repair or replacement coverage, both parts and labour, from authorized technicians or service centers</p>

<p>11.</p>	<p>COMPUTER, DESKTOP FOR OFFICE Processor: Intel i5 10th Gen or latest equivalent OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included, DVD or Flash drive from OEM, or document proof of OS genuity) Memory: 8 GB, 2X4GB DDR4, 2666 MHz, ECC/Non-ECCSDRAM Storage: 512GB SSD Graphics: Integrated Graphics Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port; (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor Warranty: w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS With Automatic Voltage Regulation (AVR), UPS can ride through under & over voltage without utilizing battery Rely on batteries anytime : UPS can start up on batteries without mains (Cold Start) UPS is equipped with data line surge protection (internet/fax) to avoid back door damages coming through phone lines Ease of connection to any equipment (PC, HD TV, internet gateway) with universal outlets Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W) : 650VA/360W Format : Tower Technology : Line interactive Input voltage ranges without using batteries : 160V - 290V Output voltage : 230V Output frequency : Auto sensing, 50Hz default Data line surge protection (internet/tel/fax) : Yes Input : IEC C14 (Input cord IEC C13 - BS1363 is provided)</p>	<p>11.</p>	<p>OFFICE COMPUTER Processor: Intel i5 12th Gen or latest equivalent OS: Genuine / Original Windows 11 Pro 64bit English (Original OS Recovery USB Kit by the Manufacturer Included) Memory: 8 GB, 2X4GB DDR4, 2666 MHz, ECC/Non-ECCSDRAM Storage: 512GB NVME SSD Graphics: Integrated Graphics Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: atleast 24" Wide Screen Monitor with LED Back Light (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor Warranty: w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized in-country / local technical support on desktop computer set. Uninterrupted Power Supply Rated power in W : 650 W Rated power in VA : 1200 VA Input Connection Type : IEC 60320 C14 Output connection : 4 x universal, 1 x IEC 60320 C13 Battery type : Lead-acid battery Mounting support Floor Network frequency 50/60 Hz +/- 5 Hz auto-sensing Input voltage limits 140 to 300 V 230 V AC Output frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive Wave type : Stepped approximation to a sinewave IP degree of protection : IP20 Battery voltage : 12 V Battery capacity 9.0 Ah Battery life 2 to 3 year(s) Surge energy rate 273 : J Mercury free : Yes Warranty : 2 years Local Supplier Warranty on UPS</p>
------------	--	------------	---

	<p>Outputs : (4) Universal Outlets Communication Ports : USB Warranty: 2 years Local Supplier Warranty w/ 1 unit of universal socket adapter</p>		
12.	<p>COMPUTER, LAPTOP FOR OFFICE Processor - 8-core CPU with 4 performance cores and 4 efficiency cores, Memory - 8GB unified memory Storage - 256 SSD Graphics - 8-core GPU, and 16-core Neural Engine Operating OS - MacOS Connectivity - Two Thunderbolt / USB 4 ports with Support for: * Charging * Display port * Thunderbolt 3 (up to 40 Gbps) * USB 4 (up to 40 Gbps) * USB 3.1 Gen 2 (up to 10 Gbps) Wireless Connectivity - 802.11 ax WIFI 6 Wireless networking, IEEE 802.11 a/b/g/n/ac compatible Bluetooth 5.0 wireless technology Display - 13.3 -inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with Supported scaled resolutions: 1680 by 1050, 1440 by 900, 1024 by 640 500 nits brightness Wide color (P3) True Tone Technology Camera - 720p FaceTime HD Camera Peripherals - Carrying bag Warranty - with protection plan for 3 years, repair or replacement coverage both parts and labor, from authorized technicians or service centers</p>	12.	<p>OFFICE LAPTOP Processor: AMD Ryzen 7 or latest equivalent Memory : 8GB DDR4 Graphics : Built-in Graphics Storage : 512GB SSD OS : Windows 11 Pro 64-bit, Genuine Display : 15.6-inch Display. 1920x1080 Resolution Peripherals : Carrying Bag Warranty: 3 years on-site repair / warranty on all labor and parts by an authorized technical support.</p>

DR. MURPHY P. MOHAMMED
Chairperson
